

SPRING PINS, PINS AND RINGS 弹簧销、销和环

Coiled Steel Spring Pins 钢质螺旋弹簧销



- Spring steel
- Heat treated
- Black oil finish
- 弹簧钢
- 热处理
- 涂黑油
- Chamfered ends
- Meet SAE J496 specifications
- Medium duty
- 平端
- 符合SAE J496规格
- 中型


COILED STEEL SPRING PINS 钢质螺旋弹簧销				COILED STEEL SPRING PINS 钢质螺旋弹簧销				COILED STEEL SPRING PINS 钢质螺旋弹簧销			
Part No. 部件号	Dia. (In.) 直径 (in)	Length (In.) 长度 (in)	Packaged Quantity 包装数量	Part No. 部件号	Dia. (In.) 直径 (in)	Length (In.) 长度 (in)	Packaged Quantity 包装数量	Part No. 部件号	Dia. (In.) 直径 (in)	Length (In.) 长度 (in)	Packaged Quantity 包装数量
34969	1 ¹ / ₁₆	1 ¹ / ₄	50	34982-7/8	5 ¹ / ₃₂	7 ¹ / ₈	50	34989-7/8	1 ¹ / ₄	7 ¹ / ₈	25
34970	1 ¹ / ₁₆	5 ¹ / ₁₆	50	34982-1	5 ¹ / ₃₂	1	50	34989-1	1 ¹ / ₄	1	25
34971	1 ¹ / ₁₆	3 ¹ / ₄	50	34982-1-1/8	5 ¹ / ₃₂	1 ¹ / ₈	50	34989-1-1/8	1 ¹ / ₄	1 ¹ / ₈	25
34971-1	1 ¹ / ₁₆	1	50	34983	5 ¹ / ₃₂	1 ¹ / ₄	50	34990	1 ¹ / ₄	1 ¹ / ₄	25
34973	5 ¹ / ₆₄	9 ¹ / ₁₆	50	34983-1	5 ¹ / ₃₂	1 ¹ / ₂	50	34990-1	1 ¹ / ₄	1 ¹ / ₂	25
34973-1	5 ¹ / ₆₄	3 ¹ / ₄	50	34983-2	5 ¹ / ₃₂	1 ³ / ₄	50	34990-1-5/8	1 ¹ / ₄	1 ³ / ₈	25
34973-3	5 ¹ / ₆₄	1	50	34983-3	5 ¹ / ₃₂	2	50	34990-2	1 ¹ / ₄	1 ³ / ₄	25
34975	3 ¹ / ₃₂	3 ¹ / ₄	50	34984	3 ¹ / ₁₆	1 ¹ / ₂	50	34991	1 ¹ / ₄	2	25
34976	3 ¹ / ₃₂	5 ¹ / ₈	50	34984-4	3 ¹ / ₁₆	3 ¹ / ₄	50	34991-1/4	1 ¹ / ₄	2 ¹ / ₄	25
34976-3	3 ¹ / ₃₂	1	50	34984-5	3 ¹ / ₁₆	7 ¹ / ₈	50	34991-x	1 ¹ / ₄	2 ¹ / ₂	25
34977	3 ¹ / ₃₂	1 ¹ / ₈	50	34985	3 ¹ / ₁₆	1	50	34991-1	1 ¹ / ₄	3	25
34977-2	3 ¹ / ₃₂	1 ¹ / ₂	50	34985-1-1/8	3 ¹ / ₁₆	1 ¹ / ₈	25	34991-1-1/4	1 ¹ / ₄	3 ¹ / ₄	25
34978	1 ¹ / ₈	3 ¹ / ₈	50	34985-2	3 ¹ / ₁₆	1 ¹ / ₄	25	34992	5 ¹ / ₁₆	3 ¹ / ₄	25
34978-1	1 ¹ / ₈	1 ¹ / ₂	50	34985-2-1/2	3 ¹ / ₁₆	1 ³ / ₈	25	34992-1	5 ¹ / ₁₆	1	25
34979	1 ¹ / ₈	3 ¹ / ₄	50	34985-4	3 ¹ / ₁₆	1 ¹ / ₂	25	34992-6	5 ¹ / ₁₆	1 ¹ / ₄	25
34979-1	1 ¹ / ₈	1	50	34985-5	3 ¹ / ₁₆	1 ³ / ₄	25	34993	5 ¹ / ₁₆	1 ¹ / ₂	25
34980	1 ¹ / ₈	1 ¹ / ₄	50	34986	3 ¹ / ₁₆	2	25	34993-2	5 ¹ / ₁₆	1 ³ / ₄	25
34981	1 ¹ / ₈	1 ¹ / ₂	50	34986-3	3 ¹ / ₁₆	2 ¹ / ₂	25	34993-4	5 ¹ / ₁₆	2	25
34981-1	1 ¹ / ₈	1 ³ / ₄	50	34987	7 ¹ / ₃₂	1 ³ / ₈	25	34993-6	5 ¹ / ₁₆	2 ¹ / ₂	25
34981-2	1 ¹ / ₈	2	50	34988	7 ¹ / ₃₂	1 ³ / ₄	25	34993-7	5 ¹ / ₁₆	2 ³ / ₄	25
34982	5 ¹ / ₃₂	3 ¹ / ₄	50	34989	1 ¹ / ₄	3 ¹ / ₄	25				

Rolled Spring Pins 轧制弹簧销



- Meets SAE J496 specifications
- Carbon steel
- Black oil finish
- 符合SAE J496规格
- 碳钢
- 涂黑油

ROLLED SPRING PINS 轧制弹簧销				ROLLED SPRING PINS 轧制弹簧销				ROLLED SPRING PINS 轧制弹簧销			
Part No. 部件号	Dia. (In.) 直径 (in)	Length (In.) 长度 (in)	Packaged Quantity 包装数量	Part No. 部件号	Dia. (In.) 直径 (in)	Length (In.) 长度 (in)	Packaged Quantity 包装数量	Part No. 部件号	Dia. (In.) 直径 (in)	Length (In.) 长度 (in)	Packaged Quantity 包装数量
35001	1 ¹ / ₁₆	1 ¹ / ₄	100	35022	3 ¹ / ₃₂	1 ¹ / ₄	100	35042	3 ¹ / ₁₆	1 ¹ / ₄	100
35002	1 ¹ / ₁₆	3 ¹ / ₈	100	35023	1 ¹ / ₈	3 ¹ / ₈	100	35043	3 ¹ / ₁₆	1 ¹ / ₂	100
35003	1 ¹ / ₁₆	1 ¹ / ₂	100	35024	1 ¹ / ₈	1 ¹ / ₂	100	35044	3 ¹ / ₁₆	1 ³ / ₄	100
35004	1 ¹ / ₁₆	5 ¹ / ₈	100	35025	1 ¹ / ₈	5 ¹ / ₈	100	35045	3 ¹ / ₁₆	2	100
35005	1 ¹ / ₁₆	3 ¹ / ₄	100	35026	1 ¹ / ₈	3 ¹ / ₄	100	35046	7 ¹ / ₃₂	5 ¹ / ₈	100
35006	1 ¹ / ₁₆	1	100	35027	1 ¹ / ₈	7 ¹ / ₈	100	35047	7 ¹ / ₃₂	3 ¹ / ₄	100
35007	5 ¹ / ₆₄	1 ¹ / ₄	100	35028	1 ¹ / ₈	1	100	35048	7 ¹ / ₃₂	1	50
35008	5 ¹ / ₆₄	3 ¹ / ₈	100	35029	1 ¹ / ₈	1 ¹ / ₄	100	35049	7 ¹ / ₃₂	1 ¹ / ₄	50
35009	5 ¹ / ₆₄	1 ¹ / ₂	100	35030	1 ¹ / ₈	1 ¹ / ₂	100	35050	7 ¹ / ₃₂	1 ¹ / ₂	50
35010	5 ¹ / ₆₄	5 ¹ / ₈	100	35031	5 ¹ / ₃₂	1 ¹ / ₂	100	35051	7 ¹ / ₃₂	1 ³ / ₄	50
35011	5 ¹ / ₆₄	3 ¹ / ₄	100	35032	5 ¹ / ₃₂	5 ¹ / ₈	100	35052	7 ¹ / ₃₂	2	50
35012	5 ¹ / ₆₄	1	100	35033	5 ¹ / ₃₂	3 ¹ / ₄	100	35053	1 ¹ / ₄	5 ¹ / ₈	100
35013	3 ¹ / ₃₂	1 ¹ / ₄	100	35034	5 ¹ / ₃₂	7 ¹ / ₈	100	35054	1 ¹ / ₄	3 ¹ / ₄	100
35014	3 ¹ / ₃₂	3 ¹ / ₈	100	35035	5 ¹ / ₃₂	1	100	35055	1 ¹ / ₄	1	50
35016	3 ¹ / ₃₂	1 ¹ / ₂	100	35036	5 ¹ / ₃₂	1 ¹ / ₄	100	35056	1 ¹ / ₄	1 ¹ / ₄	50
35017	3 ¹ / ₃₂	9 ¹ / ₁₆	100	35037	5 ¹ / ₃₂	1 ¹ / ₂	100	35057	1 ¹ / ₄	1 ¹ / ₂	50
35018	3 ¹ / ₃₂	5 ¹ / ₈	100	35038	3 ¹ / ₁₆	1 ¹ / ₂	100	35058	1 ¹ / ₄	1 ³ / ₄	50
35019	3 ¹ / ₃₂	3 ¹ / ₄	100	35039	3 ¹ / ₁₆	3 ¹ / ₄	100	35059	1 ¹ / ₄	2	25
35020	3 ¹ / ₃₂	7 ¹ / ₈	100	35040	3 ¹ / ₁₆	7 ¹ / ₈	100	35060	1 ¹ / ₄	2 ¹ / ₄	25
35021	3 ¹ / ₃₂	1	100	35041	3 ¹ / ₁₆	1	100	35061	1 ¹ / ₄	2 ¹ / ₂	25




ROLLED SPRING PINS 轧制弹簧销												
Part No. 部件号	Dia. (In.) 直径 (in)	Length (In.) 长度 (in)	Packaged Quantity 包装数量	Part No. 部件号	Dia. (In.) 直径 (in)	Length (In.) 长度 (in)	Packaged Quantity 包装数量	Part No. 部件号	Dia. (In.) 直径 (in)	Length (In.) 长度 (in)	Packaged Quantity 包装数量	
35062	1/4	2 3/4	25	35074	5/16	3	10	35086	7/16	1 3/4	25	
35063	1/4	3	25	35075	3/8	3/4	50	35087	7/16	2	25	
35064	5/16	3/4	100	35076	3/8	1	25	35088	7/16	2 1/2	15	
35065	5/16	7/8	100	35077	3/8	1 1/4	25	35089	7/16	3	15	
35066	5/16	1	50	35078	3/8	1 1/2	25	35090	1/2	1 1/2	25	
35067	5/16	1 1/4	50	35079	3/8	1 3/4	25	35091	1/2	1 3/4	25	
35068	5/16	1 1/2	50	35080	3/8	2	25	35092	1/2	2	25	
35069	5/16	1 3/4	50	35081	3/8	2 1/2	15	35093	1/2	2 1/2	15	
35070	5/16	2	25	35082	3/8	3	15	35094	1/2	3	15	
35071	5/16	2 1/4	25	35083	7/16	1	25	35095	1/2	3 1/2	10	
35072	5/16	2 1/2	10	35084	7/16	1 1/4	25	35096	1/2	4	10	
35073	5/16	2 3/4	10	35085	7/16	1 1/2	25					


Taper Pins 圆锥销




- Low carbon steel
- Non-plated
- Recommended for applications where alignment is necessary or where disassembly is frequent
- 低碳钢
- 非电镀
- 建议用于需要对准或者拆卸频繁的应用场合。

TAPER PINS 圆锥销												
Part No. 部件号	Pin Size 销尺寸		Length (In.) 长度 (in)	Large Diameter (In.) 大直径 (in)	Packaged Quantity 包装数量	Part No. 部件号	Pin Size 销尺寸		Length (In.) 长度 (in)	Large Diameter (In.) 大直径 (in)	Packaged Quantity 包装数量	
	Number 数量	In.					Number 数量	In.				
34820	0	5/32	3/4	0.156	50	34848	5	19/64	2 1/4	0.289	25	
34821	0	5/32	1	0.156	50	34849	5	19/64	3	0.289	25	
34822	0	5/32	1 1/2	0.156	50	34849-1	5	19/64	4	0.289	25	
34823	0	5/32	2	0.156	50	34849-2	5	19/64	5	0.289	25	
34825	1	11/64	3/4	0.172	50	34849-3	5	19/64	6	0.289	25	
34826	1	11/64	1	0.172	50	34850	6	11/32	1	0.341	25	
34827	1	11/64	1 1/2	0.172	50	34851	6	11/32	1 1/2	0.341	25	
34828	1	11/64	2	0.172	50	34852	6	11/32	2	0.341	20	
34830	2	3/16	3/4	0.193	50	34853	6	11/32	2 1/2	0.341	20	
34831	2	3/16	1	0.193	50	34854	6	11/32	3	0.341	10	
34832	2	3/16	1 1/2	0.193	50	34854-1	6	11/32	4	0.341	10	
34833	2	3/16	2	0.193	25	34854-2	6	11/32	5	0.341	10	
34835	3	7/32	3/4	0.219	50	34854-3	6	11/32	6	0.341	10	
34836	3	7/32	1	0.219	50	34855	7	13/32	1	0.409	10	
34837	3	7/32	1 1/2	0.219	25	34856	7	13/32	1 1/2	0.409	10	
34838	3	7/32	2	0.219	25	34857	7	13/32	2	0.409	10	
34839	3	7/32	2 1/2	0.219	25	34858	7	13/32	2 1/2	0.409	10	
34840	4	1/4	1	0.250	50	34859	7	13/32	3	0.409	10	
34841	4	1/4	1 1/2	0.250	50	34859-1	7	13/32	4	0.409	10	
34842	4	1/4	2	0.250	25	34859-2	7	13/32	5	0.409	10	
34843	4	1/4	2 1/2	0.250	25	34859-3	7	13/32	6	0.409	10	
34844	4	1/4	3	0.250	25	34859-4	8	1/2	3	0.492	10	
34844-1	4	1/4	4	0.250	25	34859-5	8	1/2	4	0.492	10	
34845	5	19/64	1	0.289	50	34859-6	8	1/2	5	0.492	10	
34846	5	19/64	1 1/2	0.289	25	34859-7	8	1/2	6	0.492	10	
34847	5	19/64	2	0.289	25							





Metric Rolled Spring Pins 公制轧制弹簧销



- Meets DIN 1481 specifications
- High carbon steel
- 符合DIN 1481规格
- 高碳钢



METRIC ROLLED SPRING PINS 公制轧制弹簧销				METRIC ROLLED SPRING PINS 公制轧制弹簧销				METRIC ROLLED SPRING PINS 公制轧制弹簧销			
Part No. 部件号	Diameter 直径	Length (mm) 长度 (mm)	Packaged Quantity 包装数量	Part No. 部件号	Diameter 直径	Length (mm) 长度 (mm)	Packaged Quantity 包装数量	Part No. 部件号	Diameter 直径	Length (mm) 长度 (mm)	Packaged Quantity 包装数量
42810	M2.5	20	100	42831	M4	40	100	42851	M6	50	25
42812	M2.5	26	100	42834	M5	20	100	42853	M6	75	25
42814	M3	12	100	42836	M5	26	100	42856	M8	20	100
42816	M3	20	100	42838	M5	32	100	42859	M8	32	50
42818	M3	26	100	42840	M5	40	100	42861	M8	40	50
42820	M3	32	100	42842	M5	50	100	42862	M8	45	50
42822	M3	40	100	42845	M6	26	50	42863	M8	50	25
42825	M4	20	100	42847	M6	32	50	42866	M10	40	25
42827	M4	26	100	42849	M6	40	50	42867	M10	45	25
42829	M4	32	100	42850	M6	45	50				

Metric Cotter Pins 公制开口销




- Meets Din 94 specifications
- Meets ISO R 1234 specifications
- Steel
- Zinc plated
- Extended prong type
- 符合Din 94规格
- 符合ISO R 1234规格
- 钢材质
- 镀锌
- 长头型

METRIC COTTER PINS 公制开口销			
Part No. 部件号	Diameter 直径	Length (mm) 长度 (mm)	Packaged Quantity 包装数量
42515	M1.6	20	200
42522	M2	18	200
42524	M2	22	200
42526	M2	25	200
42533	M3.2	25	200
42538	M3.2	32	200
42543	M4	30	200
42544	M4	32	200
42546	M4	40	200
42556	M5	45	100
42558	M5	63	100




RETAINING PINS
止动销



Finish Zinc Plate (closed type)
表面镀锌 (密封型)

Part No 部件号	L1	L2	D	d	O	Grip Rod 夹杆
	mm	mm	mm	mm	mm	mm
89.100	38	18	9.5	2	0	6-11
89.101	38	18	9.5	2.5	0	8-12
89.102	50	23	11	3	0	10-18
89.103	59	29	19	4	0	12-22
89.104	86	43	29	5	0	16-27
89.105	95	50	32	6	0	19-32
89.106	145	75	38	7	0	25-38


SAFETY PINS
安全销



Finishes Available: Self Finish, Zinc Plate, Stainless Steel
提供以下表面镀层: 光面、镀锌、不锈钢

Part No 部件号	L1	L2	D	d
	mm	mm	mm	mm
89.300	70	42	14	1.63
89.301	76	42	22	2.03
89.302	98	57	24	2.95
89.303	122	63	32	2.95
89.304	140	76	35	3.65
89.305	165	95	38	4.47
89.306	206	127	48	4.88

LINCH PINS
保险销




Apple Keep
苹果形

Finish Zinc Plate
镀锌

Part No 部件号	D	L1	L2	Normal Size 标准尺寸
	mm	mm	mm	mm
89.400	4.5	35	28	4.7
89.401	6	44.5	36.5	6.4
89.402	8	44.5	36.5	7.9
89.403	9	44.5	36.5	9.0
89.404	9.5	44.5	36	9.5
89.405	10.5	44.5	36	10.5
89.406	11	44.5	36	11.1
89.407	11	51	36.5	11.1

Pear Keep
梨形



Pear Keep
梨形

Finish Zinc Plate
镀锌

Part No 部件号	D	L1	L2	Normal Size 标准尺寸
	mm	mm	mm	mm
89.500	6	44.5	36.5	6.4
89.501	8	44.5	36.5	7.9
89.502	9	44.5	36.5	9.0
89.503	9.5	44.5	36.5	9.5
89.504	10.5	44.5	36	10.5
89.505	11	44.5	36	11.1

Split Keep
分开式



Split Keep
分开式

Nickel Plated or Bright Self Finish
镀镍或光面

Part No 部件号	OD 外径	Part No 部件号	OD 外径
	mm		mm
79.022	5.5	79.095	24
79.028	7	79.100	25
79.030	8	79.112	28
79.037	9.5	79.118	30
79.050	13	79.125	32
79.062	16	79.150	38
79.075	20	79.200	51